

FX CCR - List of Parts

	<table> <tr> <th data-bbox="821 197 1232 264">FX Head</th><th data-bbox="1232 197 1487 264">110 01 00</th></tr> <tr> <td colspan="2" data-bbox="821 264 1232 651"> Shearwater control electronics HP sensors for Oxy & Dil Cylinders Solenoid with FilterCable Connectors (rated to Battery Compartments for Li-Ion Batteries) Hose Connectors with bayonet locks Sensor Cartridge with O₂ and CO₂ sensors </td></tr> </table>	FX Head	110 01 00	Shearwater control electronics HP sensors for Oxy & Dil Cylinders Solenoid with FilterCable Connectors (rated to Battery Compartments for Li-Ion Batteries) Hose Connectors with bayonet locks Sensor Cartridge with O ₂ and CO ₂ sensors							
FX Head	110 01 00										
Shearwater control electronics HP sensors for Oxy & Dil Cylinders Solenoid with FilterCable Connectors (rated to Battery Compartments for Li-Ion Batteries) Hose Connectors with bayonet locks Sensor Cartridge with O ₂ and CO ₂ sensors											
	<table> <tr> <th data-bbox="821 651 1232 719">FX Sensor Holder</th><th data-bbox="1232 651 1487 719">110 01 18</th></tr> <tr> <td colspan="2" data-bbox="821 719 1232 981"> Sensor Holder for 3 Oxygen sensors incl. SMB Coax Harness SMB Coax Harness </td></tr> <tr> <td></td><td data-bbox="1232 869 1487 925">110 01 15</td></tr> </table>	FX Sensor Holder	110 01 18	Sensor Holder for 3 Oxygen sensors incl. SMB Coax Harness SMB Coax Harness			110 01 15				
FX Sensor Holder	110 01 18										
Sensor Holder for 3 Oxygen sensors incl. SMB Coax Harness SMB Coax Harness											
	110 01 15										
	<table> <tr> <th data-bbox="821 981 1232 1070">FX Battery Canister</th><th data-bbox="1232 981 1487 1070">110 02 00</th></tr> <tr> <td colspan="2" data-bbox="821 1070 1232 1375"> Battery Canister with UW cable and UW Connector 4P Male 2x Li-Ion Batteries 18650 </td></tr> <tr> <td></td><td data-bbox="1232 1205 1487 1261">108 02 08</td></tr> </table>	FX Battery Canister	110 02 00	Battery Canister with UW cable and UW Connector 4P Male 2x Li-Ion Batteries 18650			108 02 08				
FX Battery Canister	110 02 00										
Battery Canister with UW cable and UW Connector 4P Male 2x Li-Ion Batteries 18650											
	108 02 08										
	<table> <tr> <th data-bbox="821 1375 1232 1453">FX Canister assy</th><th data-bbox="1232 1375 1487 1453">110 03 00</th></tr> <tr> <td colspan="2" data-bbox="821 1453 1232 1727"> FX Canister Canister Lid with Water Trap 2x Lock String 2,4mm </td></tr> <tr> <td></td><td data-bbox="1232 1487 1487 1532">110 03 01</td></tr> <tr> <td></td><td data-bbox="1232 1532 1487 1576">110 03 05</td></tr> <tr> <td></td><td data-bbox="1232 1576 1487 1621">110 03 10</td></tr> </table>	FX Canister assy	110 03 00	FX Canister Canister Lid with Water Trap 2x Lock String 2,4mm			110 03 01		110 03 05		110 03 10
FX Canister assy	110 03 00										
FX Canister Canister Lid with Water Trap 2x Lock String 2,4mm											
	110 03 01										
	110 03 05										
	110 03 10										
	<table> <tr> <th data-bbox="821 1727 1232 1794">FX Scrubber assy</th><th data-bbox="1232 1727 1487 1794">110 04 00</th></tr> <tr> <td colspan="2" data-bbox="821 1794 1232 2098"> Radial Scrubber FX Scrubber Lid Scrubber Nut FX Capacity 2,3 kg of Sofnolime </td></tr> <tr> <td></td><td data-bbox="1232 1816 1487 1861">110 04 20</td></tr> <tr> <td></td><td data-bbox="1232 1861 1487 1906">110 04 10</td></tr> <tr> <td></td><td data-bbox="1232 1906 1487 1951">110 04 16</td></tr> </table>	FX Scrubber assy	110 04 00	Radial Scrubber FX Scrubber Lid Scrubber Nut FX Capacity 2,3 kg of Sofnolime			110 04 20		110 04 10		110 04 16
FX Scrubber assy	110 04 00										
Radial Scrubber FX Scrubber Lid Scrubber Nut FX Capacity 2,3 kg of Sofnolime											
	110 04 20										
	110 04 10										
	110 04 16										

FX CCR - List of Parts



Primary Controller

108 03 00

- Petrel DiveCAN Setpoint Controller XCCR
- ppO₂ reading from three O₂ sensors
 - high pressure reading from cylinders
 - CO₂ reading
 - Stack Timer
 - full Trimix deco



NERD 2 Controller

110 01 40

- Shearwater DiveCAN NERD 2 Controller
- ppO₂ reading from three O₂ sensors
 - Stack Timer
 - full Trimix deco

Adjustable NERD2 Holder
mounted on BOV Shrimp

108 04 30



Head-Up Display

108 04 00

Shearwater DiveCAN LED HUD
Head-Up Display with ppO₂ reading
from 3 sensors

Adjustable HUD Holder
mounted on BOV Shrimp

108 04 20



NERD 2 Monitor

108 04 10

Shearwater DiveCAN NERD 2
ppO₂ Monitor & Trimix deco computer

Adjustable NERD2 Holder
mounted on BOV Shrimp

108 04 30

FX CCR - List of Parts



FX Counterlungs


110 05 00

Exhale Counterlung assy **110 05 02**

- adjustable Over Pressure / Dump Valve
- Inner snorkel as a water trap
- volume 3,5 L

Inhale Counterlung assy **110 05 01**

- anticollapse insert
- volume 3,5 L



FX Case

110 06 00

Case made of Cordura 2000 with zipper
Cylinder Holder
Fastening carabiners

Cylinder Strap

110 06 13



MAV Oxy

110 09 00

Oxygen Manual Add Valve

- 1 inlets (UNF 9/16")
- 2 outlets (UNF 3/8")




MAV Dil

110 09 10

Diluent Manual Add Valve

- 1 inlets with QC6 Connector - female
- 3 outlet UNF 3/8" (ADV, BOV, Man. add)
- 1 Shut-Off Valve for ADV **110 10 00**



FX CCR - List of Parts

	<table border="1"> <tr> <th>Breathing Hose Inhale</th><th>110 08 01</th></tr> <tr> <td colspan="2">Silicone corrugated breathing Hoses with ADV L-piece BN3 and BOV Nut BN3</td></tr> <tr> <td>ADV L-piece BN3</td><td>110 07 11</td></tr> <tr> <td>ADV Valve FX</td><td>110 07 20</td></tr> <tr> <td>ADV Diaphragm D52</td><td>108 09 13</td></tr> </table>	Breathing Hose Inhale	110 08 01	Silicone corrugated breathing Hoses with ADV L-piece BN3 and BOV Nut BN3		ADV L-piece BN3	110 07 11	ADV Valve FX	110 07 20	ADV Diaphragm D52	108 09 13
Breathing Hose Inhale	110 08 01										
Silicone corrugated breathing Hoses with ADV L-piece BN3 and BOV Nut BN3											
ADV L-piece BN3	110 07 11										
ADV Valve FX	110 07 20										
ADV Diaphragm D52	108 09 13										
	<table border="1"> <tr> <th>Breathing Hose Exhale</th><th>110 08 02</th></tr> <tr> <td colspan="2">Silicone corrugated breathing Hoses with L-piece BN4 and BOV Nut BN4</td></tr> <tr> <td>L-piece BN4</td><td>110 07 10</td></tr> </table>	Breathing Hose Exhale	110 08 02	Silicone corrugated breathing Hoses with L-piece BN4 and BOV Nut BN4		L-piece BN4	110 07 10				
Breathing Hose Exhale	110 08 02										
Silicone corrugated breathing Hoses with L-piece BN4 and BOV Nut BN4											
L-piece BN4	110 07 10										
	<table border="1"> <tr> <th>BOV Shrimp</th><th>108 12 00</th></tr> <tr> <td colspan="2">CC / OC Bail-out Valve with 2nd stage Regulator, adjustable</td></tr> <tr> <td colspan="2">Bayonet hose Connectors BN3 / BN4</td></tr> </table>	BOV Shrimp	108 12 00	CC / OC Bail-out Valve with 2nd stage Regulator, adjustable		Bayonet hose Connectors BN3 / BN4					
BOV Shrimp	108 12 00										
CC / OC Bail-out Valve with 2nd stage Regulator, adjustable											
Bayonet hose Connectors BN3 / BN4											
	<table border="1"> <tr> <th>LP Hose Kit FX</th><th>110 17 00</th></tr> <tr> <td colspan="2"> 1x 10cm Regulator hose Blue (Regulator) 1x 20cm Regulator hose (DIL MAV) 1x 25cm Regulator hose (DIL MAV) 1x 25cm Regulator hose Blue (OXY MAV) 1x 56cm Regulator hose (DIL MAV) 1x 62cm Regulator hose Blue (OXY MAV) </td></tr> </table>	LP Hose Kit FX	110 17 00	1x 10cm Regulator hose Blue (Regulator) 1x 20cm Regulator hose (DIL MAV) 1x 25cm Regulator hose (DIL MAV) 1x 25cm Regulator hose Blue (OXY MAV) 1x 56cm Regulator hose (DIL MAV) 1x 62cm Regulator hose Blue (OXY MAV)							
LP Hose Kit FX	110 17 00										
1x 10cm Regulator hose Blue (Regulator) 1x 20cm Regulator hose (DIL MAV) 1x 25cm Regulator hose (DIL MAV) 1x 25cm Regulator hose Blue (OXY MAV) 1x 56cm Regulator hose (DIL MAV) 1x 62cm Regulator hose Blue (OXY MAV)											

FX CCR - List of Parts

	<table> <tr> <th data-bbox="820 230 1233 286">CF Tank 2L/300bar</th><th data-bbox="1233 230 1492 286">110 16 00</th></tr> <tr> <td colspan="2" data-bbox="820 286 1492 611"> Carbon-fiber cylinder 2L/300bar, M18x1,5 S valve G/5/8" Total weight 1,68 kg </td></tr> </table>	CF Tank 2L/300bar	110 16 00	Carbon-fiber cylinder 2L/300bar, M18x1,5 S valve G/5/8" Total weight 1,68 kg	
CF Tank 2L/300bar	110 16 00				
Carbon-fiber cylinder 2L/300bar, M18x1,5 S valve G/5/8" Total weight 1,68 kg					
	<table> <tr> <th data-bbox="820 651 1233 707">Steel Tank 2L/300bar</th><th data-bbox="1233 651 1492 707">110 16 02</th></tr> <tr> <td colspan="2" data-bbox="820 707 1492 1032"> Steel cylinder 3L/300bar, M25x2 S valve M26x2 Total weight 3,75 kg </td></tr> </table>	Steel Tank 2L/300bar	110 16 02	Steel cylinder 3L/300bar, M25x2 S valve M26x2 Total weight 3,75 kg	
Steel Tank 2L/300bar	110 16 02				
Steel cylinder 3L/300bar, M25x2 S valve M26x2 Total weight 3,75 kg					
	<table> <tr> <th data-bbox="820 1072 1233 1128">US4 Regulator</th><th data-bbox="1233 1072 1492 1128">110 16 10</th></tr> <tr> <td colspan="2" data-bbox="820 1128 1492 1433"> Apeks US4 1st stage Regulator 300bar: a) G5/8" 110 16 10 b) Nitrox M26x2 110 16 11 </td></tr> </table>	US4 Regulator	110 16 10	Apeks US4 1st stage Regulator 300bar: a) G5/8" 110 16 10 b) Nitrox M26x2 110 16 11	
US4 Regulator	110 16 10				
Apeks US4 1st stage Regulator 300bar: a) G5/8" 110 16 10 b) Nitrox M26x2 110 16 11					
	<table> <tr> <th data-bbox="820 1469 1233 1525">DS4 Regulator</th><th data-bbox="1233 1469 1492 1525">105 15 10</th></tr> <tr> <td colspan="2" data-bbox="820 1525 1492 1830"> Apeks DS4 1st stage Regulator 300bar: a) G5/8" 105 15 10 b) Nitrox M26x2 105 15 11 </td></tr> </table>	DS4 Regulator	105 15 10	Apeks DS4 1st stage Regulator 300bar: a) G5/8" 105 15 10 b) Nitrox M26x2 105 15 11	
DS4 Regulator	105 15 10				
Apeks DS4 1st stage Regulator 300bar: a) G5/8" 105 15 10 b) Nitrox M26x2 105 15 11					

FX CCR - List of Parts

	<table> <tr> <th data-bbox="831 224 1246 286">FX Solenoid</th><th data-bbox="1246 224 1497 286">110 01 20</th></tr> <tr> <td colspan="2" data-bbox="831 286 1497 537">Solenoid 17 bar with watertight connector, L-bow and PUN Tube</td></tr> </table>	FX Solenoid	110 01 20	Solenoid 17 bar with watertight connector, L-bow and PUN Tube	
FX Solenoid	110 01 20				
Solenoid 17 bar with watertight connector, L-bow and PUN Tube					
	<table> <tr> <th data-bbox="831 560 1246 622">Oxygen Sensor</th><th data-bbox="1246 560 1497 622">108 01 90</th></tr> <tr> <td colspan="2" data-bbox="831 622 1497 896">SMB coax Connector</td></tr> </table>	Oxygen Sensor	108 01 90	SMB coax Connector	
Oxygen Sensor	108 01 90				
SMB coax Connector					
	<table> <tr> <th data-bbox="831 918 1246 981">FX Calibration Kit</th><th data-bbox="1246 918 1497 981">110 11 00</th></tr> <tr> <td colspan="2" data-bbox="831 981 1497 1344">1x Calibration Insert w. One-way valve 1x Calibration Blind Cap</td></tr> </table>	FX Calibration Kit	110 11 00	1x Calibration Insert w. One-way valve 1x Calibration Blind Cap	
FX Calibration Kit	110 11 00				
1x Calibration Insert w. One-way valve 1x Calibration Blind Cap					
	<table> <tr> <th data-bbox="831 1366 1246 1429">Li-Ion Batteries</th><th data-bbox="1246 1366 1497 1429">108 02 08</th></tr> <tr> <td colspan="2" data-bbox="831 1429 1497 1691">Li-Ion Batteries 18650 rechargeable & replaceable</td></tr> </table>	Li-Ion Batteries	108 02 08	Li-Ion Batteries 18650 rechargeable & replaceable	
Li-Ion Batteries	108 02 08				
Li-Ion Batteries 18650 rechargeable & replaceable					
	<table> <tr> <th data-bbox="831 1713 1246 1776">Li-Ion Battery Charger</th><th data-bbox="1246 1713 1497 1776">108 02 09</th></tr> <tr> <td colspan="2" data-bbox="831 1776 1497 2103">Charger for Li-Ion Batteries with micro USB supply connector 5V</td></tr> </table>	Li-Ion Battery Charger	108 02 09	Charger for Li-Ion Batteries with micro USB supply connector 5V	
Li-Ion Battery Charger	108 02 09				
Charger for Li-Ion Batteries with micro USB supply connector 5V					

FX CCR - List of Parts



Omniswivel 9/16"-9/16"

110 17 21

3 way and 360° rotation connection joint
to BOV Shrimp 2nd stage Regulator



Retaining Strap

110 14 30

Silicone Retaining Strap for Mouthpiece